

HART™



GARDEN CART POTTING BENCH

@FlowersByNini

PROJECT PLAN

Skill Level: Intermediate

Materials

Item	Qty
Old grill*	
Scrap wood	
Screws	14
Optional: Metal chain link and small wooden trellis	
Twine	

* Be sure the grill base and legs are in good shape (not rusty); since you won't be using the grill top, its condition is unimportant.

Tools Used



Circ Saw



Orbit Sander



Drill



Safety Glasses



Battery Tip: A 4.0 Ah battery is recommended to be paired with high amp draw tools for maximum efficiency.

Lumber Cut List

Description	Board*	Cut to	Qty
Scrap Wood		3'x6"	3
Scrap Wood		5"x3"	2

Assembly Instructions

Step 1

Start by removing the top metal grill.

Step 2

Use the circular saw to cut the wood into 3 even pieces, each approximately 3' x 6".

Step 3

Cut 2 smaller pieces of wood. They'll be used to hold the potting bench top together. Your cuts will depend on the length and width of your base. Ours was approximately 5" x 3".

Step 4

Create pilot holes and then drill the screws into the smaller wood piece, attaching them to the bench top. We used 12 screws, 6 per wood piece.

Step 5

Attach the bench top to the legs. We used the holes from the existing metal legs.

Step 6

Use the orbit sander to smooth down the top and any rough edges.

Step 7

Screw or nail a chain to the edge to hold additional garden supplies.

Step 8

Use twine to attach a small trellis to the back to hold or store more supplies. Enjoy your bench!