

HART™



Jewelry Stand

Mariah Tapia | [@rusticrosehomestead](https://www.instagram.com/rusticrosehomestead)

PROJECT PLAN


Finished Dimensions: 9.5"H x 13.5"W

Skill Level: Beginner

Materials

Item	Qty
1" x 3" Board*	1
1" x 2" Board*	1
1" x 4" Board*	1
3/16" Round Wood Dowel	1
Screw Hooks	2
Wood Screws	2

* Board dimensions are "nominal." Actual dimensions are smaller due to lumber industry standards. Cuts are actual length.

 A select/premium board or plywood comes with a smoother surface finish. It is clear or has very few tight knots, and it will have straight and sharp edges. This grade of wood pairs well with other boards or panels better and requires less time to sand and finish.

Tools Used



Miter Saw



Drill/Driver



Orbital Sander



Tape Measure



Drill Bits




Safety Glasses



Carpenter's Pencil



Work Table & Clamps

 **Battery Tip:** A 4.0Ah battery is recommended to be paired with high amp draw tools for maximum efficiency.

Lumber Cut List

Board*	Description	Cut To	Qty
1" x 3" Board*	Top	13-1/2"	1
1" x 2" Board*	Stand	8-1/4"	1
1" x 4" Board*	Base	5-1/2"	1
3/16" Round Dowel	Rod	13-1/2"	1

* Board dimensions are "nominal." Actual dimensions are smaller due to lumber industry standards. Cuts are actual length.

Assembly Instructions

Step 1

Measure, mark, and cut your lumber to size.

Step 2

Find the center of the 1x3 board and mark it.

Step 3

Find the front center of the 1x2. Line up the marks so that the 1x2 is flush with the top of the 1x3.

Step 4

Drill halfway through the 1x3.

Step 5

Drill through the 1x2.

Step 6

Mark the center of the 1x4 and drill through the center.

Step 7

Mark the bottom center of your 1x2 (the opposite side from where you previously drilled your hole).

Step 8

Grab your 1x2 and your 1x3. Line up the holes and attach the 1x2 to the center of the 1x3 using one screw. Drill into the back of the 1x2.

Step 9

You should have two pieces now: your 1x2 and 1x3 forming a "T" shape and your 1x4 base piece. Grab both of these pieces and one screw.

Step 10

Set your 1x2/1x3 assembly on the top center of your 1x4. From the bottom, fasten the two pieces together with wood screws in the holes you previously drilled.

Step 11

You should now have one assembled piece. Set it up and mark the center of your 1x3 on each side (this will be for your screw-in hooks).

Step 12

Screw in the two hooks, one on each side.

Then, slide your dowel rod through the hooks.

Step 13

Paint or stain your stand to match your decor, or seal it with a clear coat if you prefer the look of natural wood. Make sure any paint or stain dries fully before hanging any jewelry from the stand.